

IN THE CLAIMS:

Please amend claims 1, 11, 19, and 26 as follows:

D²
1. (twice amended) A photosensitive film which comprises a support film (A), a photosensitive resin composition-containing photosensitive resin layer (B) formed on said support film (A), and a protecting film (C) stuck onto said photosensitive resin layer (B), wherein the number of fish eyes having a diameter of at least 80 μm included in said protecting film (C) does not exceed 5 fish eyes/ m^2 when measured under a microscope at a multiplication of 100; and said photosensitive resin composition-containing photosensitive resin layer (B) has a film thickness of 5 to 30 μm .

D³
11. (twice amended) A photosensitive film according to Claim 2, wherein the monomer (b) is bisphenol A polyoxyalkylene diacrylate, or contains bisphenol A polyoxyalkylene dimethacrylate as a component.

Sub E1
19. (twice amended) A photosensitive film comprising a support film, a photosensitive resin layer on said support film, and a film stuck onto said photosensitive resin layer, wherein said film has fish eyes of a diameter of at least 80 μm in a number not exceeding 5 per square meter when measured under a microscope at a multiplication of 100.

D⁵
26. (twice amended) A photosensitive film according to Claim 23, wherein the monomer (b) is bisphenol A polyoxyalkylene diacrylate or contains bisphenol A polyoxyalkylene dimethacrylate as a component.